

ASF nativas do Estado de São Paulo

1	<i>Cephalotrigona capitata</i> (Smith, 1854) - Mombucão	32	<i>Plebeia emerina</i> (Friese, 1900) - Emerina
2	<i>Friesella schrottkyi</i> (Friese, 1900) – Mirim-preguiça	33	<i>Plebeia nigriceps</i> (Friese, 1901) – Mirim-nigriceps
3	<i>Frieseomelitta languida</i> (Moure, 1990) - Mocinha-preta	34	<i>Plebeia remota</i> (Holmberg, 1903) – Mirim-guaçu
4	<i>Frieseomelitta silvestrii</i> (Friese, 1902)	35	<i>Plebeia saiqui</i> (Friese, 1900) – Mirim-saiqui
5	<i>Frieseomelitta varia</i> (Lepelletier, 1836)	36	<i>Scaptotrigona bipunctata</i> (Lepelletier, 1836) - Tubuna
6	<i>Geotrigona mombuca</i> (Smith, 1863) - Guiruçu	37	<i>Scaptotrigona depilis</i> (Moure, 1942) - Canudo
7	<i>Geotrigona subterranea</i> (Friese, 1901) - Guiruçu	38	<i>Scaptotrigona polysticta</i> (Moure, 1950) - Benjoí
8	<i>Lestrimelitta ehrhardti</i> (Friese, 1931) -	39	<i>Scaptotrigona postica</i> (Latreille, 1807) - Mandaguari
9	<i>Lestrimelitta limao</i> (Smith, 1863) - Limão	40	<i>Scaptotrigona tubiba</i> (Smith, 1863) - Tubiba
10	<i>Lestrimelitta rufipes</i> (Friese, 1903) - Iraxim	41	<i>Scaptotrigona xanthotricha</i> (Moure, 1950) - Mandaguari amarela
11	<i>Leurotrigona muelleri</i> (Friese, 1900) - Lambe-olhos	42	<i>Scaura latitarsis</i> (Friese, 1900) - Cupinheira
12	<i>Melipona bicolor bicolor</i> (Lepelletier, 1836) - Guaraipo	43	<i>Scaura longula</i> (Lepelletier, 1836) – Jataí-negra
13	<i>Melipona bicolor schencki</i> (Gribodo, 1893) - Guaraipo	44	<i>Schwarziana quadripunctata</i> (Lepelletier, 1836) - Guiruçu
14	<i>Melipona fuliginosa</i> (Lepelletier, 1836) – Uruçu-boi	45	<i>Schwarzula timida</i> (Silvestre, 1902) – Lambe-olhos
15	<i>Melipona marginata</i> (Lepelletier, 1836) - Manduri	46	<i>Tetragona clavipes</i> (Fabricius, 1804) - Borá
16	<i>Melipona mondury</i> (Smith, 1863) - Bugia	47	<i>Tetragona elongata</i> (Lepelletier & Serville, 1828)
17	<i>Melipona torrida</i> (Friese, 1916) - Manduri	48	<i>Tetragona quadrangula</i> (Lepelletier, 1836) - Borá
18	<i>Melipona quadrifasciata anthidioides</i> (Lepelletier, 1836) – Mandaçaia MQA	49	<i>Tetragonisca angustula angustula</i> (Latreille, 1811) - Jataí
19	<i>Melipona quadrifasciata quadrifasciata</i> (Lepelletier, 1836) - Mandaçaia MQQ	50	<i>Tetragonisca angustula fiebrigi</i> (Schwartz, 1938) - Jataí
20	<i>Melipona quinquefasciata</i> (Lepelletier, 1836) – Mandaçaia-da-terra	51	<i>Trigona braueri</i> (Friese, 1900) – Abelha-cachorro
21	<i>Melipona rufiventris</i> (Lepelletier, 1836) – Uruçu amarela	52	<i>Trigona cilipes</i> (Fabricius, 1804)
22	<i>Nannotrigona testaceicornis</i> (Lepelletier, 1836) - Iraí	53	<i>Trigona fulviventris</i> (Guérin, 1835)
23	<i>Oxytrigona tataira tataira</i> (Smith, 1863) - Tataíra	54	<i>Trigona aff. fuscipennis</i> (Friese, 1900) - Sanharó
24	<i>Paratrigona lineata</i> (Lepelletier, 1836) – Jataí-da-terra	55	<i>Trigona hyalinata</i> (Lepelletier, 1836) - Guaxupé
25	<i>Paratrigona subnuda</i> (Moure, 1947) – Mirim-da-terra	56	<i>Trigona hypogea</i> (Silvestri, 1902)
26	<i>Partamona ailyae</i> (Camargo, 1980)	57	<i>Trigona recursa</i> (Smith, 1863) - Feiticeira
27	<i>Partamona combinata</i> (Pedro & Camargo, 2003)	58	<i>Trigona spinipes</i> (Fabricius, 1793) - Arapuá
28	<i>Partamona criptica</i> (Pedro & Camargo, 2003)	59	<i>Trigona truculenta</i> (Almeida, 1984) - Sanharão
29	<i>Partamona cupira</i> (Smith, 1863) - Cupira	60	<i>Trigonisca intermedia</i> (Moure, 1900)
30	<i>Partamona helleri</i> (Friese, 1900) – Boca-de-sapo	61	<i>Trigonisca meridionalis</i> (Moure, 1990)
31	<i>Plebeia droryana</i> (Friese, 1900) – Mirim-droryana		